

**LESCO®**

# Spreader-Sticker

## Non-Ionic Surface Active Agent

Lesco Spreader-Sticker is a biodegradable liquid non-ionic surface active agent. It is an agricultural spreader adjuvant, wetting agent, soil penetrant, and deduster.

Principal Functioning Agents:  
Alkylarylpoloxyethylene glycols.....77.4%  
Alkyl fatty acids.....12.0%  
Inert ingredients.....10.6%

**For Agricultural and  
Industrial Use Only**

### CAUTION


#### KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed. Avoid contact with eyes. May cause eye irritation. In case of contact with eyes, immediately flush with plenty of water for at least 15 minutes. Get medical attention. SEE BACK PANEL FOR USE DIRECTIONS.

**Net Contents: 2.5 gallons #019255**

LESCO • 1301 East 9th Street • Cleveland, OH 44114-1849

2LBL000407 Rev. 4/08



#019255 Net Contents: 2.5 gallons (9.46 Liters)  
#019277 Net Contents: 2 x 2.5 gallons (19.9 Liters)

#### **DIRECTIONS FOR USE**

**LESCO Spreader-Sticker** is a high flash non-ionic general purpose spray adjuvant for use on plants to improve the effectiveness of insecticides, herbicides, fungicides, and defoliant by providing more uniform coverage without excessive run-off of the spray to increase contact activity and to aid in penetration, allowing the use of lower labeled pesticide rates. **Shake well before using.**

#### **HERBICIDES**

Unless otherwise directed by manufacturer of herbicides, use 1 to 3 pints of **LESCO Spreader-Sticker** per 100 gallons of spray for post-emergence use of products such as Image<sup>®</sup>, Basagran<sup>®</sup>, phenoxxy herbicides (i.e., **LESCO Three-Way Selective™**), Methanearsonates (i.e., **LESCO MSMA 6.6**) Poast<sup>®</sup>, Fusilade<sup>®</sup>, etc.

#### **SOIL PENETRANT**

Add with suitable quantities of water, 8 ounces of **LESCO Spreader-Sticker** to 1,000 sq. ft. of lawn area. Always add **LESCO Spreader Sticker** to the spray tank as the last ingredient with the agitator running (1/2 teaspoon to three gallons of water).

#### **DEFOLIANTS**

(Use magnesium and sodium chlorate and with chlorate/borate defoliant and herbicides.) Use 1 quart per each 100 gallons of dilute spray when spray application is at the rate of 10 gallons per acre. Use 2 quarts per 100 gallons of spray when application is at 5 gallons per acre. Use 2 quarts per 100 gallons of airplane spray application.

#### **INSECTICIDES, FUNGICIDES, ACARICIDES**

**LESCO Spreader-Sticker** may also be used to enhance the wetting characteristics of the above pesticides at a rate of 2 ounces to 8 ounces per 100 gallons of spray mix. The actual rate will vary depending upon plant size and type of foliage to be covered.

#### **WARRANTY**

LESCO warrants that this product conforms to the analysis on its label. When used in accordance with label directions, under normal conditions, this product is reasonably fit for its intended purposes. Since time, method of application, weather, plant and soil conditions, mixture with other chemicals, and other factors affecting the use of this product are beyond our control, no warranty is given concerning the use of this product contrary to label directions or under conditions which are abnormal or not reasonably foreseeable. The user assumes all risks of any such use.

©Copyright 2001

Image, Basagran and Poast are registered trademarks of BASF.  
Fusilade is a registered trademark of Syngenta Ag Products, Inc.  
LESCO is a registered trademark of LESCO Technologies, L.L.C.